

EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311

Batch:

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 04/20/2025

Completed: 04/28/2025

Client

Savage Enterprises

7505 Irvine Center Drive, Suite 200

Irvine, CA 92618

USA



Summary

 Test
 Cannabinoids
 Heavy Metals
 Microbials
 Mycotoxins
 Pesticides
 Residual Solvents

Date Tested

04/28/2025

04/22/2025

04/28/2025

04/28/2025

04/28/2025

04/22/2025

Status

Tested

Tested

Tested

Tested

Tested

Tested

ND	83.5 %	89.2 %	Not Tested	Not Tested	Yes
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC CBGA	0.0095	0.0284	ND	ND
CBCV CBD	0.0181	0.0543	ND	ND
CBDA CBDV	0.006	0.018	ND	ND
CBD VA	0.0081	0.0242	ND	ND
CBG CBGA	0.0043	0.013	ND	ND
CBL CBLA	0.0061	0.0182	ND	ND
CBN CBNA	0.0021	0.0063	ND	ND
CBT Δ 4,8- is	0.0057	0.0172	ND	ND
o-TH C Δ8-	0.0049	0.0147	ND	ND
iso-THC Δ8-	0.0112	0.0335	ND	ND
THC Δ8-	0.0124	0.0371	ND	ND
THCV Δ9-	0.0056	0.0169	1.91	19.1
THC Δ9-	0.006	0.0181	ND	ND
THCA Δ9-	0.018	0.054	ND	ND
THCV Δ9-	0.0067	0.02	1.15	11.5
THCVA exo-THC	0.0067	0.02	1.96	19.6
	0.0104	0.0312	83.5	835
	0.0067	0.02	0.373	3.73
	0.0076	0.0227	ND	ND
	0.0084	0.0251	ND	ND
	0.0069	0.0206	ND	ND
	0.0062	0.0186	ND	ND
	0.0067	0.02	0.357	3.58
			ND	ND
Total Δ9-THC			89.2	892
Total				

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Ryan Bellone
 CCO

Date: 04/28/2025



 Tested By: Scott Caudill
 Laboratory Manager

Date: 04/28/2025


 ISO/IEC 17025:2017 Accredited
 Accreditation #108651




KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

2 of 6

EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311

Batch:

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 04/20/2025

Completed: 04/28/2025

Client

Savage Enterprises

7505 Irvine Center Drive, Suite 200

Irvine, CA 92618

USA

Heavy Metals by ICP-MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Arsenic	2	20	ND
Cadmium	1	20	ND
Lead	2	20	ND
Mercury	12	50	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO

Date: 04/28/2025

Tested By: Chris Farman
Scientist

Date: 04/22/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311

Batch:

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 04/20/2025

Completed: 04/28/2025

Client

Savage Enterprises

7505 Irvine Center Drive, Suite 200

Irvine, CA 92618

USA

Pesticides by LC-MS/MS

Ana ly te	LOD (	LOQ (	Result (ppb)	Ana ly te H exy thi	LOD (	LOQ (	Result (ppb)
A bamecti n	ppb)	ppb)	ND	azox Imazal i l Imi	ppb)	ppb)	ND
A cephate	30 30	100	ND	dac l o pri d	30 30	100	ND
A c etami pri d	30 30	100	ND	Kresoxim methyl	30 30	100	ND
A l di carb	30 30	100	ND	Mal athi o n Metal	30 30	100	ND
A zoxy stro bi n	30 30	100	ND	axy l Methi o c arb	30 30	100	ND
B i f enazate	30 30	100	ND	Metho my l Mev i	30 30	100	ND
Bi f enthri n	30 30	100	ND	npho s My c l o	30 30	100	ND
Bo scal i d	30 30	100	ND	butani l N al ed	30 30	100	ND
C arbary l	30 30	100	ND	Oxamyl Pac l o	30 30	100	ND
C arbo f uran	30 30	100	ND	butrazo l P	30 30	100	ND
C hlo ranthrani l i pro l e	30 30	100	ND	ermethri n P ho	30 30	100	ND
C hlo rfenapy r	30 30	100	ND	smet Piperonyl	30 30	100	ND
Chlorpyrifos	30 30	100	ND	Butoxide Pral l	30 30	100	ND
C lo f entezi ne	30 30	100	ND	ethri n Pro pi c o	30 30	100	ND
Coumaphos	30 30	100	ND	nazo l e Pro pox ur	30 30	100	ND
C y permethri n	30 30	100	ND	P y rethri ns P y ri	30 30	100	ND
D ami no zi de		100	ND	daben S pi neto		100	ND
Diazinon		100	ND	ram S pi no sad S		100	ND
Dichlorvos		100	ND	pi ro mesi f en S pi		100	ND
D i metho ate		100	ND	ro tetramat S pi rox		100	ND
D i metho mo rph		100	ND	ami ne Tebuc o		100	ND
Etho pro pho s		100	ND	nazo l e Thi ac l o		100	ND
Eto f enprox		100	ND	pri d Thi amethox		100	ND
Etox azo l e		100	ND	am Trifloxystrobin		100	ND
F enhex ami d		100	ND			100	ND
F enoxy c arb		100	ND			100	ND
F enpy rox i mate		100	ND			100	ND
Fipronil		100	ND			100	ND
Flonicamid		100	ND			100	ND
Fludioxonil		100	ND			100	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone
 CCO

Date: 04/28/2025



 Tested By: Jasper van Heemst
 Principal Scientist Date:

04/28/2025





KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

4 of 6

EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311

Batch:

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 04/20/2025

Completed: 04/28/2025

Client

Savage Enterprises

7505 Irvine Center Drive, Suite 200

Irvine, CA 92618

USA

Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
B1	11	5	ND
B2	11	5	ND
G1			ND
G2			ND
Ochratoxin A			ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO

Date: 04/28/2025

Tested By: Jasper van Heemst
Principal Scientist

Date: 04/28/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

5 of 6

EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311

Batch:

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 04/20/2025

Completed: 04/28/2025

Client

Savage Enterprises

7505 Irvine Center Drive, Suite 200

Irvine, CA 92618

USA

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)
Total aerobic count	11111	ND ND ND	
Total coliforms			
Generic E. coli			
Salmonella spp.			Not Detected per 1 gram
Shiga-toxin producing E. coli (STEC)			Not Detected per 1 gram

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO

Date: 04/28/2025

Tested By: David Viohl
Accessioning Manager

Date: 04/28/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311

Batch:

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 04/20/2025

Completed: 04/28/2025

Client

Savage Enterprises

7505 Irvine Center Drive, Suite 200

Irvine, CA 92618

USA

Residual Solvents by HS-GC-MS


Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetonitrile	167	500	ND	Ethylene Oxide	0.5	1 500	ppm)
Benzene	14	41	1	Heptane	167	29	ND
Butanol	0.5	500	ND	n-Heptane	10	500	ND
2-Butanone	167	500	ND	Iso butane	167	500	ND
Chloroform	167	500	ND	Isopropyl Acetate	167	500	ND
Cyclohexane	167	500	ND	Isopropyl Alcohol	167	500	ND
1,2-Dichloroethane	167	500	ND	Iso propyl benzene	167	500	ND
Dimethoxyethane	167	388	1	Methanol	167	300	ND
Dimethyl Sulfoxide	2	10	ND	2-Methylbutane	100	29 60	ND
N,N-Dimethylacetamide	129	500	ND	Methylene Chloride	10	29 29	ND
2,2-Dimethylbutane	0.5	109 29	ND	2-Methylpentane	20	500	ND
2,3-Dimethylbutane	4	29 88	ND	3-Methylpentane	10	500	ND
N,N-Dimethylformamide	167	500	ND	n-Pentane	10	500	ND
1,4-Dioxane	37	38	ND	1-Pentanol	167	500	ND
Ethanol	10	500	16	n-Propane	167	20 72	ND
Ethoxyethanol	10	500	ND	1-Propanol	167	89 8	ND
Ethyl Acetate	30	500	7	Pyridine	167	217	ND
Ethyl Ether	167		ND	Tetrahydrofuran	7		ND
Ethylbenzene	13		ND	Toluene	24		ND
	167		ND	Trichloroethylene	30		ND
	6		ND	Xylenes (o-, m-, and p-)	3		ND
	167		ND		73		ND
	167		755				ND
	3		ND				ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone
 CCO

Date: 04/28/2025



 Tested By: Kelsey Rogers
 Scientist

Date: 04/22/2025

