KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 6

## MF Live Resin 4ml Disposable - Introvert Bluebb OG

Sample ID: SA-240509-40048 Batch: 24086202210407

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 05/14/2025 Completed: 05/31/2025 C lie nt Arvida Labs 1291 NW 65th PL Unit B Fort Lauderdale, FL 33309



## Summary

Test
C annabi no i ds
Heavy Metals
Microbials
Mycotoxins
P esti c i des
Residual Solvents

Date Tested 05/ 31/ 2025 05/ 23/ 2025 05/ 21/ 2025 05/ 22/ 2025 05/ 22/ 2025 05/ 23/ 2025

Tested Tested Tested Tested Tested Tested Tested

ND Total Δ9-THC 37.0 % (6aR,9R,10aR)-HHC 95.0 %
Total Cannabinoids

Moisture Content

Not Tested

Not Tested

Foreign Matter

Yes ternal Stand

Internal Standard N o rmal i zati o n

## Cannabinoids by GC-MS/MS

Cannabinoids by GC-MS/MS				
Ana ly te	LOD	LOQ	Result	Result
CBC	(%)	(%)	(%)	(
CBCV	0.0095	0.0284	ND ND	m <b>g</b> ( <b>/g</b> )
CBD	0.006	0.018	ND	ND
CBDV	0.0081	0.0242	3.93	39.3
CBG	0.0061	0.0182	ND	ND
CBL	0.0057	0.0172	4.72	47.2
CBN	0.0112	0.0335	ND	ND
CBT	0.0056	0.0169	1.22	12.2
$\Delta$ 4,8- i s o-TH C $\Delta$ 8-iso-THC	0.018	0.054	ND	ND
Δ8-THC Δ8-THC	0.0067	0.02	ND	ND
Δ8-THCB	0.0067	0.02	2.03	20.3
Δ8-THCP	0.0104	0.0312	27.5	275
Δ8-THCV	0.0067	0.02	0.0631	0.631
Δ9-THC	0.0067	0.02	ND	ND
Δ9-THCB	0.0067	0.02	0.0480	0.480
Δ9-THCP	0.0076	0.0227	ND	ND
Δ9-THCV	0.0067	0.02	1.95	19.5
exo-THC	0.0067	0.02	0.863	8.63
(6aR,9R,10aR)-HHC	0.0069	0.0206	ND	ND
(6aR,9S,10aR)-HHC	0.0067	0.02	ND	ND
(5417,55,15417) 11112	0.0067	0.02	37.0	370
	0.0067	0.02	15.7	157
T			ND of o	ND
Total Δ9-THC			95.0	950
Total				

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THC +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 06/03/2025

Tested By: Nicholas Howard Sc i en ti st Date: 05/31/2025









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.