

KALI BLOOM 2085 Sw 31st  
Hallandale Beach, FL 33009

Customer:

Sample ID: 220000 / Platinum OG  
Laboratory Number: ATL-6732



Report Issue Date  
5/17/2025

Extraction Technician: HP  
Analytical Chemist: HP

Sample Description/Size: D8-HHC-HHC-O Distillate



*Hernan Prieto*

CANNABINOID  
PROFILE

Order Date 5/9/2025  
Analysis Date 5/16/2025

Cannabinoids (HPLC)		Results		Cannabinoid (%)					
Test	LOQ (mg/g)	mg/g	%	0	20	40	60	80	100
9R- Hexahydrocannabinol (HHC)	<0.01	111.21	11.121						
9S- Hexahydrocannabinol (HHC)	<0.01	215.17	21.517						
Cannabigerolic Acid (CBG-A)	<0.04	0	0						
Cannabigerol (CBG)	<0.04	0	0						
Cannabidiol (CBD)	<0.04	0	0						
Cannabinol (CBN)	<0.03	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.02	0	0						
Delta 8-Tetrahydrocannabinol	<0.03	335.26	33.526						
Delta 10-Tetrahydrocannabinol (THC)	<0.02	0	0						
Cannabichromene(CBC)	<0.05	0	0						
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.02	0	0						

Cannabinoids Total									
Test	mg/g	%		0	20	40	60	80	100
Max Active THC	0	0							
Max Active CBD	0	0							
T.Active Cannabinoids	661.6	66.16							
Total Cannabinoids	661.6	66.16							

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab uncertainty are calculated for CBDA and CBD at +/- 4%. The uncertainty for THCA and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected T: Trace Cannabinoids detected but are below limit of quantification.