

KALI BLOOM 2085 Sw 31st
Hallandale Beach, FL 33009

Customer:

Sample ID: 220000 / Zkittles
Laboratory Number: ATL-6734



Report Issue Date
5/17/2025

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: D8-HHC-HHC-O Distillate



Hernan Prieto

CANNABINOID
PROFILE

Order Date 5/9/2025
Analysis Date 5/16/2025

Cannabinoids (HPLC)		Results		Cannabinoid (%)						
Test	LOQ (mg/g)	mg/g	%	0	20	40	60	80	100	
9R- Hexahydrocannabinol (HHC)	<0.01	113.49	11.349							
9S- Hexahydrocannabinol (HHC)	<0.01	223.61	22.361							
Cannabigerolic Acid (CBG-A)	<0.04	0	0							
Cannabigerol (CBG)	<0.04	0	0							
Cannabidiol (CBD)	<0.04	0	0							
Cannabinol (CBN)	<0.03	0	0							
Delta 9-Tetrahydrocannabinol (THC)	<0.02	0	0							
Delta 8-Tetrahydrocannabinol	<0.03	346.74	34.674							
Delta 10-Tetrahydrocannabinol (THC)	<0.02	0	0							
Cannabichromene(CBC)	<0.05	0	0							
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.02	0	0							

Cannabinoids Total										
Test	mg/g	%	0	20	40	60	80	100		
Max Active THC	0	0								
Max Active CBD	0	0								
T.Active Cannabinoids	683.8	68.38								
Total Cannabinoids	683.8	68.38								

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Materials to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not DetectedT:Trace Cannabinoids detected but are below limit of quantification.