

ACCURATE
TEST LAB

Analysis Date: 05/6/2025

Analytical Chemist: LL



Kim Dang
Laboratory Manager

Analyte	LOQ (mg/g)	Results mg/g	%
---------	---------------	-----------------	---

Analyte	LOQ (mg/g)	Results mg/g	%
---------	---------------	-----------------	---

Analyte	LOQ (mg/g)	Results mg/g	%
---------	---------------	-----------------	---

9S-HHC	<0.009	N/D	N/D
9R-HHC	<0.013	N/D	N/D
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	854.120	6.348
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	100.880	0.017
D9-THCP	<0.009	366.320	2.772
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	123.023	1.023
11-OH-D8-THC	<0.005	N/D	N/D

1S-	<0.012	N/D	N/D
H4CBD	<0.025	N/D	N/D
1R-	<0.004	N/D	N/D
H4CBD	<0.007	N/D	N/D
D9-			
THCB			
D8-			
THCB			

Max Active THC	mg/g	%
	N/D	N/D

Total Active Cannabinoids	mg/g	%
	3742.38	87.69

Max Active CBD	mg/g	%
	N/D	N/D

	mg/g	%
Cannabinoids	3742.38	87.69

Cannabidiol (CBD) Cannabinoids
Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG a) annabidiol(CBD)
Tetrahydrocannabinavin(THCV) Tetrahydrocannabinavarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-OH-D8-THC
Cannabichromene(CBC) Cannabinchromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinophorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate(D8-THC-ACETATE) Hexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Materials to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



(954)515 - 0200

info@accuratetestlab.com

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>