1 of 6

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

THCP 0.5g Cartridge - Juice Box (Hybrid)

Sample ID: SA-240521-40619 Batch: 240812014337110

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 05/22/2025 Completed: 06/04/2025

C lie nt Arvida Labs 1291 NW 65th PL Unit B Fort Lauderdale, FL 33309



Summary

C annabi no i ds Heavy Metals Microbials Mycotoxins P esti c i des Residual Solvents Date Tested 06/04/2025 05/29/2025 05/24/2025 05/30/2025 05/30/2025 05/28/2025 Status Tested Tested Tested Tested Tested Tested

ND Total Δ9-THC

81.0 % Δ9-ΤΗСР

91.4 % Total Cannabinoids

Not Tested Moisture Content

Not Tested Foreign Matter

Internal Standard N o rmal i zati o n

Yes

Cannabinoids by GC-MS/MS

Ana ly te	LOD (%)	LOQ (%)	Result (%)	Result (
CBCV	0.0095	0.0284	ND	m g /(g)
CBD	0.006	0.018	ND	ND
CBDV	0.0081	0.0242	4.75	47.5
CBG	0.0061	0.0182	ND	ND
CBL	0.0057	0.0172	2.86	28.6
CBN	0.0112	0.0335	ND	ND
CBT	0.0056	0.0169	1.96	19.6
Δ8-THC	0.018	0.054	ND	ND
Δ8-THCP	0.0104	0.0312	ND	ND
Δ9-THC	0.0067	0.02	0.885	8.85
Δ9-THCP	0.0076	0.0227	ND	ND
Δ9-THCV	0.0067	0.02	81.0	810
Δ9-111CV	0.0069	0.0206	ND	ND
			ND	ND
Total Δ9-THC Total			91.4	914

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Tested By: Nicholas Howard Scientist Date: 06/04/2025



Accreditation #108651





Date: 06/04/2025 This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.